

TRUCK PULL RULES AND REGULATIONS

Management reserves the right to change order of class if entries are not adequate, and also reserves the right to substitute any judge or official if it becomes necessary.

Management reserves the right to decline to receive any entry fee without being liable for compensation.

Absolutely no one will be allowed inside ring during Truck Pull except authorized personnel without permission of Fair management.

Fair management will not be responsible for loss or injury to persons, trucks, and/or equipment.

Open 6200 lb. Pro Stock

MTPA Association Rules will apply.

Open 4300 lb. Two Wheel Drive Light Modified

MTPA Association Rules will apply.

STREET STOCK TRUCK, RULES

1. O.E.M. heads and block - stock intake and exhaust manifold
2. Must have complete exhaust with mufflers
3. No double pumpers
4. No engine larger than 460 ci
5. No V-10, No NOS
6. Must have stock axles
7. No dual wheels except 2wd

8. Must have stock bumpers
9. No hanging weights
10. No traction bars
11. No blocking of rear axles (cannot be solid)
12. Hook point must be in stock position (no short hitches)
13. Max hitch height is 26" for 4wd and 30" for 2wd
14. Truck must be street legal
15. No hulling
16. Max weight is 6500 lbs.
17. Must have D.O.T. tires (no cut, bar, ditch witch molded, or terrain tires)

HOT STOCK TRUCK RULES

1. O.E.M. heads and block
2. No NOS
3. Must be naturally aspirated
4. Aluminum intake and headers are okay
5. Any cam is acceptable
6. One 4 barrel carburetor only
7. One ton limit on axles except 2wd
8. Winch and push bumpers are okay, but must be in stock position
(this means cannot be stuck out)
9. No hanging weights
10. Traction bars and blocking are okay
11. Hook point must be at least 36" of wheel base for 2wd and 4wd

12. Max hitch height is 26" for 4wd and 30" for 2wd
13. Max weight is 6500 lbs.
14. Must have working brakes
15. No excessive hulling
16. All trucks must follow general safety rules also
17. Must have D.O.T. tires (no cut, bar, ditch witch molded, or terrain tires)
18. No dual wheels except 2wd

Tech official's decision is final